



C213

Cascade 128 Chunky Cabled Cowl



Designed By Linda Voss Plummer

128 Chunky Cabled Cowl

Designed by Linda Voss Plummer

1 skein Cascade 128

Size 10 needles, or needles to get gauge

Cable needle

Stitch markers

Row counter

A fabulous button or two!

Gauge: 3 ½ sts per inch

Cable twist to right: slip two sts to cn, hold in *back*, k next st, then k two from cn

Cable twist to left: slip one st to cn, hold in *front*, k next two sts, k one from cn

Choice 1 (simple cable)

Cast on 26 sts.

Set up row (ws): p2, pm, k2, pm, p3, pm, k2, pm, p8, pm, k2, pm, p3, pm, k2, pm, p2

While knitting, slip markers as you come to them. When pattern is established, you may wish to remove them and “read” your knitting.

Rows 1, 3, 5, and 7: k2, p2, cable twist to right, p2, k8, p2, cable twist to the left, p2, k2.

Cable twist appears on every rs row.

Rows 2, 4, 6 and 8: p2, k2, p3, k2, p8, k2, p3, k2, p2

Row 5: Work as established to 8 sts for cable, slip next 4 sts to cn and hold in *back*, k4, then k4 from cn, work as established to end of row.

Choice 2 (more complex cable)

Cast on 30 sts.

Set up row (ws): p2, pm, k2, pm, p3, pm, k2, pm, p12, pm, k2, pm, p3, pm, k2, pm, p2

While knitting, slip markers as you come to them. When pattern is established, you may wish to remove them and “read” your knitting.

Rows 1 and 5: k2, p2, cable twist to right, p2, k12, p2, cable twist to the left, p2, k2.

Cable twist appears on every rs row.

Rows 2, 4, 6 and 8: p2, k2, p3, k2, p12, k2, p3, k2, p2

Row 3: Work as established in row 1 to center cable, slip 4 sts to cn, hold in *front*, k4, then k4 from cn, then k4, work as established to end of row.

Row 7: k4, slip next 4 sts to cn and hold in *back*, k4, then k4 from cn
Work until 18 – 20” or desired length.

When binding off, either 1) bind off to center 3 sts, make a 3 st i-cord of desired length for buttonhole, reattach and finish bo or 2) bind off, then crochet a buttonhole.