



Cascade Kid Seta Noir
Cardigan with Frill



Designed by Marelle Hurter

Kid Seta Noir Cardigan with Frill

Pattern and Design by Marelie Hurter

MATERIALS: 4(5;6;7) balls of #29

One pair US Size 9 / 5.5 mm knitting needles.

One US Size 6 / 4 mm circular needle.

MEASUREMENTS:

To fit Bust: 34(36;38;40) inches

Actual all round measurement of garment: Bust: 37(39;41;42.5) inches

Length to shoulder: 25(26;26;27) inches

THE INSTRUCTIONS ARE GIVEN FOR THE SMALLEST SIZE, WITH THE LARGER SIZES IN BRACKETS; WHERE ONLY ONE FIGURE IS GIVEN, IT APPLIES TO ALL SIZES.

TENSION: SAVE TIME, TAKE TIME, CHECK TENSION.

18 sts and 24 rows = 3 in / 10 cm over stocking stitch using US 9 / 5.5 mm needles.

22 sts and 32 rows = 3 in / 10 cm over stocking stitch using US 6 / 4 mm needles.

FOR BEST RESULTS IT IS ESSENTIAL TO OBTAIN THE CORRECT TENSION.

IF THERE ARE TOO FEW STS ON TEST SWATCH, USE THINNER NEEDLES;

IF THERE ARE TOO MANY STS, USE THICKER NEEDLES.

ABBREVIATIONS:

alt = alternate; **beg** = begin(ning); **cont** = continue; **dec** = decrease; **folll(s)** = follow(s)ing; **inc(s)** = increase(s); **k** = knit; **p** = purl; **rep** = repeat; **rev** = reverse; **R(W)S** = right(wrong) side; **R(W)SF** = right(wrong) side facing; **R(W)SR** = right(wrong) side row; **RW** = ribwise; **st(s)** = stitch(es); **st st** = stocking stitch; **tog** = together.

STICHES USED:

SINGLE RIB:

As explained in the instructions.

STOCKING STITCH:

1st row: K.

2nd row: P.

Rep these 2 rows.

BACK:

Using US 9 / 5.5 mm needles cast on 86(90;94;98) sts and cont straight in st st and when work measures 15 in / 38cm from beg ending with a WSR,

SHAPE ARMHOLES: Cast off 3(4;4;5) sts at beg of next 2 rows, 2sts at beg of foll 4 rows, then dec 1 st (= work 2tog) at each end of next and every foll alt row 4(4;5;5) times in all = 64(66;68;70) sts. Cont straight and when work measures 25(26;26;27) inches from beg ending with a WSR

SHAPE SHOULDERS: Cast off 10(10;10;11) sts at beg of next 2 rows, 10(11;11;11) sts at beg of foll 2 rows = 24(24;26;26) sts. Cast off rem sts for neck opening.

LEFT FRONT:

Using US 9 / 5.5mm needles cast on 42(44;46;48) sts and cont straight in st st and when work measures 15 inch / 38cm from beg ending with a WSR,

SHAPE ARMHOLE as for one side of back = 31(32;33;34) sts. Cont straight and when work measures 21 (21;22;22)cm from beg ending with a RSR

SHAPE V-NECK: Dec 1 st (= work 2tog) at beg (neck edge) of next and at same edge of every foll alt row 11 (11;12;12) times in all = 20(21;21;22) sts. Cont straight and when work measures same as back to beg of shoulder shaping ending with a RSR

SHAPE SHOULDER as for one side of back = 10(11;11;11) sts. Cast off rem sts.

RIGHT FRONT:

Work as for left front, rev shapings.

TO MAKE UP:

Sew shoulder seams.

LEFT FRONT FRILL: RSF, using a US 6 / 4mm circular needle (starting at centre back), pick up and k12 (13;13;14) sts across half of back neck opening, then 143(146;146;149) sts (= 22sts per 3 in / 10cm) down left front edge = 155(159;159;163) sts.

1st row: WSF, *p1, k1, rep from * to end.

2nd row: *K1, p1, rep from * to end.

3rd row: As first row.

4th row, inc row: K1, p1, *(k1, p1, k1) into next st, p1, k1, p1, rep from * to last st, k1.

5th row: As first row.

6th row, inc row: K1, p1, *(k1, p1, k1) into next st, p1, rep from * to last st, k1. Work 5 rows straight in rib patt, then cast off all sts loosely RW.

RIGHT FRONT FRIL: Work as for left front, starting at front edge and ending at centre back neck. Sew frill tog at centre back of neck. Sew side seams.