



W189

Cabling Around Coat in Venezia Worsted  
Designed by Susie Bonell



Materials: Cascade Yarn's **VENEZIA WORSTED** Merino Silk 13, 14, 16 skeins  
Needles size 6 & 7  
Cable needle, yarn needle

Finished Measurements: 44", 48", 52" approx.

Gauge: 32 sts = 5"; 28 rows = 4 1/2" (two pattern repeats across)

### Abbreviations:

C2B = Slip next st onto a cable needle and hold in back of work, knit next st from left-handed needle, then knit st from cable needle.

C4F = slip next 2 sts onto cable needle and hold at front of work, knit next 2 sts from left-handed needle, then knit sts from cable needle.

C4B = Slip next 2 sts onto cable needle and hold at back of work, knit next 2 sts from left handed needle, then knit sts from cable needle.

T3F = Slip next 2 sts onto cable needle and hold at front of work, purl next st from left-handed needle, then knit sts from cable needle.

T3B = Slip next st onto cable needle and hold at back of work, knit next 2 sts from left-handed needle, then purl st from cable needle.

### Cabling Around Pattern

Row 1: (Right side) P3, k2, \*T3F, p1, C2B, p1, T3B, k2; rep from \* to last 3 sts, p3.

Row 2: K3, p2, \*k1, p2; rep from \* to last 3 sts, k3.

Row 3: P3, C2B, \*p1, T3F, k2, T3B, p1, C2B; rep from \* to last 3 sts, p3.

Row 4: K3, p2, \*k2, p6, k2, p2; rep from \* to last 3 sts, k3.

Row 5: P3, k2, p2, \*C4B, (k2, p2) twice; rep from \* to last st, p1.

Row 6: K3, p2, \*k2, p6, k2, p2; rep from \* to last 3 sts, k3.

Row 7: P3, C3B, \*p2, k2, C4F, p2, C2B; rep from \* to last 3 sts, p3.

Row 8: K3, p2, \*k2, p6, k2, p2; rep from \* to last 3 sts, k3.

Row 9: P3, k2, \*p2, k6, p2, k2; rep from \* to last 3 sts, p3.

Row 10: K3, p2, \*k2, p6, k2, p2; rep from \* to last 3 sts, k3.

Row 11: P3, C2B, \*p2, C4B, k2, p2, C2B; rep from \* to last 3 sts, p3.

Row 12: K3, p2, \*k2, p6, k2, p2; rep from \* to last 3 sts, k3.

Row 13: P3, K2, \*p2, k2, C4F, p2, k2; rep from \* to last 3 sts, p3.

Row 14: K3, p2, \*k2, p6, k2, p2; rep from \* to last 3 sts, k3.

Row 15: P3, C2B, \*p1, T3B, k2, T3F, p1, C2B; rep from \* to last 3 sts, p3.

Row 16: K3, p2, \*k1, p2; rep from \* to last 3 sts, k3.  
 Row 17: P3, k2, \*T3B, p1, C2B, p1, T3F, k2; rep from \* to last 3 sts, p3.  
 Row 18: K1, p6, \*k2, p2, k2, p6; rep from \* to last st, k1.  
 Row 19: P1, C4B, \*(k2, p2) twice, C4B; rep from \* to last 3 sts, k2, p1.  
 Row 20: K1, P6, \*k2, p2, k2, p6; rep from \* to last st, k1.  
 Row 21: P1, k2, C4F, \*p2, C2B, p2, k2, C4F; rep from \* to last st, p1.  
 Row 22: K1, p6, \*k2, p2, k2, p6; rep from \* to last st, k1.  
 Row 23: P1, k6, \*p2, k2, p2, k6; rep from \* to last st, p1.  
 Row 24: K1, P6, \*k2, p2, k2, p6; rep from \* to last st, k1.  
 Row 25: P1, C4B, k2, \*p2, C2B, p2, C4B, k2; rep from \* to last st, p1.  
 Row 26: K1, p6, \*k2, p2, k2, p6; rep from \* to last st, k1.  
 Row 27: P1, k2, C4F, \*(p2, k2) twice, C4F; rep from \* to last st, p1.  
 Row 28: K1, p6, \*k2, p2, k2, p6; rep from \* to last st, k1  
 Repeat rows 1-28 for pattern.

### Pocket Linings (make 2)

With size 7 needles, cast on 24 sts and work in stockinette stitch (knit one row, purl one row) for 5" ending with WRONG side facing for next row and increasing 8 sts evenly across the last row. Place on holder.

### BACK

With size 6 needles, cast on 140, 152, 164. Work in k1, p1 ribbing for 1". Change to size 7 needles and work in Cabling Around Pattern until piece measures 26", 27, 28" from beg or desired length to armhole ending with right side for next row.

Shape Armholes: Bind off 12, 12, 24 sts and continue in pattern until armhole measures 10", 11", 12".

Bind off in pattern placing markers 39, 45, 39 sts in from sides for neck placement.

### RIGHT FRONT

With size 6 needles cast on 56, 68, 80 sts. Work in k1, p1 ribbing for 1". Change to size 7 needles and work in Cabling Around Pattern until piece measures 13", 14", 15" from beg or desired length to top of pocket opening ending with right side as next row. With right side facing, pattern across 14, 16, 16 sts sl next 32 sts on holder, pattern across 32 sts of pocket lining with the knit side facing forward, complete row in pattern. Continue working in pattern until piece measures the same as back to armhole shaping and work as for the back, binding off on a wrong side row. Continue until armhole measures same as back and bind off in pattern.

### LEFT FRONT

Work as for Left Front reversing shaping and pocket placement.

## SLEEVES

With size 6 needles cast on 80, 80, 90 sts. Work in k1, p1 ribbing for 3". Change to size 7 needles and work in Cabling Around Pattern increasing 1 st each side every 5 rows to 112, 124, 136 sts working additional sts into pattern. Work until sleeve measures 21", 21 1/2", 22" from beg or desired length from shoulder seam with 3" ribbing turned up. Bind off in pattern.

## COLLAR AND BANDS

With size 6 needles, cast on 139, 145, 151 sts. Work in k1, p1 ribbing for 7" ending with a wrong side row. Rib across 52, 54, 56 sts. Place a marker on last st (front edge). TURN. Place remaining sts on holder. Work one row. On next row, dec 1 st at front edge, then every other row until 35, 37, 39 sts remain. Continue working even until band is the length between the marker and the bottom front edge. Bind off in ribbing. Work other side to correspond.

## FINISHING

Block back, fronts and sleeves to appropriate size.

Sew shoulder seams between marker and shoulder edge.

Sew in sleeves. (Armhole bind off edge will extend down side of sleeve.)

Sew on collar and front bands reversing seam at back neck edge so wrong side of seam is under the collar.

Sew side and underarm seams reversing seams at ribbing for turning back 3" cuff.

## Pocket Bands

With size 6 needles, take sts off holder and work K1, P1 ribbing increasing 1 st at center of first row. Work for 1" and bind off in ribbing.

Sew pocket bands in position on the right side and the pocket linings on the wrong side. DO NOT PRESS .

## TIE BELT (Optional)

With size 6 needles, cast on 14 sts. Work in K1, P1 ribbing for 60" and bind off in ribbing.

Weave in all ends. J