

W288



Cascade 220
Cabled Heather for Her



Designed by
Melissa Leapman

Cabled Heather for Her

Designed by Melissa Leapman

Sizes

Small (Medium, Large, 1X, 2X). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

Finished Measurements

Bust: 36 (39, 45, 48, 51)"

Total length: 23 (23 ½, 24, 24 ½, 24 ½)"

Materials

- Cascade's *Cascade 220*, 7 (7, 8, 8, 9) hanks of #9575
- One pair of sizes 7 and 8 knitting needles or size needed to obtain gauge

Gauge

In Cable Patt with larger needles, 26 sts and 26 rows = 4". To save time, take time to check gauge.

Stitch Patterns

Rib Pattern (*mult 5 + 1 sts*)

See chart.

Main Pattern (*mult 10 + 6 sts*)

See chart.

Note

Instructions include one selvedge st each side; these sts are not reflected in final measurements.

Back

With smaller needles, CO 116 (126, 146, 156, 166) sts.

Beg Rib Patt, and work even until piece measures approx 7 ½" from beg.

Change to larger needles, beg Main Patt, and work even until piece measures approx 14 ½" from beg, ending after WS row.

Shape Armholes

BO 6 (7, 8, 9, 10) sts at beg of next two rows, BO 2 (3, 4, 5, 6) sts at beg of next two rows, then dec 1 st each side

every row 4 (7, 17, 18, 21) times, then every other row 5 (4, 1, 1, 0) times—82 (84, 86, 90, 92) sts rem.

Cont even until piece measures approx 22 (22 ½, 23, 23 ½, 23 ½)" from beg, ending after WS row.

Shape Shoulders

BO 6 (6, 7, 7, 8) sts at beg of next four rows, then BO 6 (7, 6, 8, 7) sts at beg of next two rows.

BO rem 46 sts.

Front

Same as back until piece measures approx 20 (20 ½, 21, 21 ½, 21 ½)" from beg, ending after WS row.

Shape Neck

Work across first 32 (33, 34, 36, 37) sts, join second ball of yarn and BO middle 18 sts, work to end row.

Work both sides at once with separate balls of yarn and BO 6 sts each neck edge once, BO 4 sts each neck edge once, BO 2 sts each neck edge once, then dec 1 st each neck edge every row twice—18 (19, 20, 22, 23) sts rem each side.

Cont even until piece measures same as back to shoulders.

Shape Shoulders

Same as for back.

Sleeves

With smaller needles, CO 56 sts.

Beg Rib Patt, and work even until piece measures approx 2 ½" from beg.

Change to larger needles, beg Main Patt, and inc 1 st each side every fourth row 0 (0, 5, 8, 17) times, every sixth row 3 (15, 13, 11, 5) times, then every eighth row 10 (1, 0, 0, 0) times, working new sts into patt as they accumulate—82 (88, 92, 94, 100) sts.

Cont even until sleeve measures approx 18 ½" from beg, ending after WS row.

Shape Cap

BO 6 (7, 8, 9, 10) sts at beg of next two rows, then dec 1 st each side every other row 9 (10, 12, 16, 14) times, then every row 11 (12, 11, 7, 11) times--30 sts rem.

BO 3 sts at beg of next four rows--18 sts rem.

BO.

Finishing

Sew right shoulder seam.

Neckband



With smaller needles, pick up and knit 101 sts along neck opening.

Beg Rib Patt, and work even until neckband measures approx 4" from beg. BO.

Sew left shoulder seam, including side of neckband.

Set in sleeves.

Sew sleeve and side seams.



KEY □ = K on RS; P on WS

• = P on RS; K on WS

⋈ = Right Twist = Slip next st onto cn and hold in back; K1; K1 from cn **OR** K2tog, leaving them on LH needle; insert point of RH needle between these 2 sts and K the first one again

