Category: Knitted Sweaters and Tops\Knitted Cardigans

Friday Harbor Bobbles Tee

Designed by Simona Merchant-Dest

Skill Level:

INTERMEDIATE

Sizes:

XS (S, M, L, XL, 2XL, 3XL, 4XL)

Finished Measurements:

Bust: 31¼ (34½, 38¾, 42¾, 46¾, 50¾, 54¾, 58½)"/79.5 (87.5, 98.5, 108.5, 118.5, 129, 139, 148.5) cm

Length: 23 (23½, 23¾, 24, 24½, 25¼, 26, 26¾)"/58.5 (59.5, 60.5, 61, 62, 64, 66, 68) cm

Materials:

- Cascade Yarns® Friday Harbor; 80% Merino Wool / 20% Silk; 100 g (3.5 oz) / 219 yds (200 m)
- 4 (4, 4, 5, 5, 6, 6, 7) skeins of color #26 (Dusky Lavender)
- US 7 (4.5 mm) 24” (60 cm) and 32" (80 cm) circular needles
- US 7 (4.5 mm) double pointed needles (dpns)
- Markers (m) in 3 different colors
- Cable needle (cn)
- Stitch holders or waste yarn
- Tapestry needle

All images, text and illustration(s)© Cascade Yarns® 2023

Gauge:

20 sts x 27 rows = 4” (10 cm) in stockinette stitch

25 sts of Cable and Bobble Pattern = 4" (10cm)

Abbreviations:

CO	= Cast on
Dec	= Decrease
Inc	= Increase
K	= Knit
Kfb	= Knit into front and back of stitch – 1 st increased.
K2tog	= Knit 2 stitches together
P	= Purl
Patt	= Pattern
PM	= Place marker
Rnd(s)	= Round(s)
RS	= Right side
SSK	= Slip, Slip, knit 2 slipped stitches together
St(s)	= Stitch(es)

1/1 RC: Slip 1 stitch to cable needle and hold in back, k1, then k1 from cable needle.

1/1 LC: Slip 1 stitch to cable needle and hold in front, k1, then k1 from cable needle.

2/2 RC: Slip 2 stitches to cable needle and hold in back, k2, then k2 from cable needle.

2/2 LC: Slip 2 stitches to cable needle and hold in front, k2, then k2 from cable needle.

M1p (make one purl-wise): Make a stitch by picking up the horizontal strand between the stitch just knit and the next stitch on the left needle. Place on the left needle, twisting it. Purl into the front of the loop.

M1L (make one left): Make a stitch by picking up the horizontal strand between the stitch just knit and the next stitch on the left needle. Place on the left needle. Knit into the back of the loop – left slanting increase.

M1R (make one right): Make a stitch by picking up the horizontal strand between the stitch just knit and the next stitch on the left needle. Place on the left needle, twisting it. Knit into the front of the loop – right slanting increase.

All images, text and illustration(s)© Cascade Yarns® 2023

Nupp: (K1, yo, k1, yo, k1) in the same stitch, slip these stitches back to left needle, k5tog through the back loop. [Note: You can use a crochet hook instead of the needle to work the k5tog-tbl.]

Stitch Patterns:

Cable Pattern in ROWS

(Beg with 11 sts, inc to 13 sts on Row 2)

Work from the instructions below or Chart 1.

Row 1 (WS): K1, (p4, k1) twice.
Row 2: P1, (1/1 RC, 1/1 LC, p1) twice.
Rows 3, 5, 7 and 9: K2, p4, k1, p4, k2.
Rows 4 and 8: P2, (1/1 LC, 1/1 LC, p1) twice, p1.
Row 6: P2, (1/1 RC, 1/1 LC, p1) twice, p1.
Rep Rows 6 - 9 for pattern.

Cable Pattern in ROUNDS

(Worked over 13 sts)

Work Rows 6 - 9 of Chart 1 in rounds.

Rnd 6: P2, (1/1 RC, 1/1 LC, p1) twice, p1.
Rnds 7 and 9: P2, k4, p1, k4, p2.
Rnd 8: P2, (1/1 LC, 1/1 RC, p1) twice, p1.
Rep Rnds 6 - 9 for pattern.

Cable & Bobble Pattern

(Worked over 50 sts)

Work from the instructions below or Chart 2.

Work Right Cable over 6 stitches, work center 19-st repeat twice over next 38 stitches, work Left Cable over next 6 stitches as follows:

Right Cable (6 sts)

Rnd 1, 3 and 5: P2, k4.
Rnd 2: P2, 1/1 RC, 1/1 LC.
Rnd 4: P2, 1/1 LC, 1/1 RC.
Rep Rnds 2 - 5 for pattern.

Center (38 sts)

Rnd 1: (P5, k4, p1, k4, p5) twice.
Rnd 2: (P3, make nupp, p1, 2/2 RC, p1, 2/2 LC, p1, make nupp, p3) twice.
Rnd 3, 5, 13 and 15: (P5, k4, p1, k4, p5) twice.
Rnd 4: (P2, make nupp, p2, 2/2 RC, p1, 2/2 LC, p2, make nupp, p2) twice.
Rnd 6: (P1, make nupp, p2, k2tog, k3, yo, p1, yo, k3, ssk, p2, make nupp, p1) twice.

All images, text and illustration(s)© Cascade Yarns® 2023

Rnd 7: (P4, k5, p1, k5, p4) twice.
Rnd 8: (P3, k2tog, k3, yo, k1, p1, k1, yo, k3, ssk, p3) twice.
Rnd 9: (P3, k6, p1, k6, p3) twice.
Rnd 10: (P2, k2tog, k3, yo, k1, make nupp, p1, make nupp, k1, yo, k3, ssk, p2) twice.
Rnd 11: (P2, k7, p1, k7, p2) twice.
Rnd 12: (P1, k2tog, k3, yo, k1, make nupp, k1, p1, k1, make nupp, k1, yo, k3, ssk, p1) twice.
Rnd 14: (P5, k1, make nupp, k2, p1, k2, make nupp, k1, p5) twice.
Rep Rnds 2 – 15 for pattern.

Left Cable (6 sts)

Rnd 1, 3 and 5: K4, p2.
Rnd 2: 1/1 RC, 1/1 LC, p2.
Rnd 4: 1/1 LC, 1/1 RC, p2.
Rep Rnds 2 - 5 for pattern.

K3, P2 Rib Pattern

(Multiple of 5 sts)

Rnd 1: P1, *k3, p2; rep from * to last 4 sts, k3, p1.

Rep Rnd 1 for pattern.

Knitted Cast-on Method: If no stitches are present, make a slip knot and place on left needle. *With right needle, knit into first stitch (or slip knot) on left needle, place new stitch onto left needle; repeat from * until required number of stitches have been cast on always knitting into the last stitch on left needle.

Backward Loop Cast-on Method: *Wrap yarn around left thumb from front to back and secure in palm with other fingers. Insert needle upwards through strand on thumb, slip loop from thumb onto right needle, pulling yarn to tighten. Repeat from * until required number of stitches have been cast on.

Notes:

Piece is worked top down, beginning at neckline; the top is worked in rows to the beginning of the front neck, then stitches are cast on for the front neck and the work is joined and worked in the round to underarms.

At underarms, the sleeves are separated from body and placed on waste yarn (or stitch holder); the front and back are joined to work in the round to the hem.

Sleeves are finished by working in the round.

Markers are placed at the beginning of the round, the right side of body and to mark raglan armholes; slip markers (sl m) as you come to them.

Use markers in three different colors; one color for the beginning of the round at right front / sleeve and left side of body, a second color for the raglan armholes, and a third color to mark the cable patterns on front and sleeves.

All images, text and illustration(s)© Cascade Yarns® 2023

Begin pattern:

YOKE

Using shorter circular needle, cast on 66 (66, 68, 68, 70, 70, 72, 76) sts. Do not join.

Set-up Row (RS): K1, pm in Color 2, k13, pm in Color 2, k38 (38, 40, 40, 42, 42, 44, 48), pm in Color 2, k13, pm in Color 2, k1.

Row 1: (Purl to m, p1, work Row 1 of Chart 1 over next 11 sts, p1) twice, purl to end.

Row 2 (inc): Kfb, sl m, k1, M1p, work Row 2 of Chart 1 over next 11 sts, M1p, k1, sl m, k1, M1L, knit to 1 st before m, M1R, sl m, k1, M1p work Row 2 of Chart 1 over next 11 sts, M1p, k1, sl m, kfb – 8 sts inc'd.

Row 3: Purl across, working charts as est.

Inc Row 4: (Knit to 1 st before m, M1R, k2, M1L, work as established to 1 st before m, M1R, k2, M1L) twice, knit to end – 8 sts inc'd.

Rep last 2 rows 12 (13, 13, 14, 14, 14, 15, 15) times more – 178 (186, 188, 196, 198, 198, 208, 212) sts.

Change to longer circular needle when there are too many sts to fit comfortably on shorter needle.

Increase for front neckline:

With WS facing, use knitted cast-on method to cast on 46 (46, 50, 50, 52, 52, 54, 56) sts for front neckline – 224 (232, 238, 246, 250, 250, 262, 268) sts. With RS facing, join to work in the rnd. Knit to m (beg of rnd). Mark center 50 sts of front with Color 3 markers.

Inc Rnd : *K1, M1L, work as established to 1 st before raglan m, M1R, k2, M1L*, knit to 1 st before raglan m, M1R, k1, work from * to * once more, knit to patt m, work Cable and Bobble patt over next 50 sts, knit to last st before raglan m, M1R, k1 – 8 sts inc'd.

Work 1 rnd even.

Rep last 2 rnds 5 (6, 7, 8, 8, 11, 13, 15) times more – 272 (288, 302, 310, 330, 346, 366, 396) sts; 78 (82, 86, 88, 94, 98, 104, 112) sts for back, 88 (92, 98, 100, 106, 110, 116, 126) sts for front, and 53 (57, 59, 61, 65, 69, 73, 79) sts for each sleeve.

Separate sleeves from body

Next rnd: Cont in patterns as established, remove raglan m, place next 53 (57, 59, 61, 65, 69, 73, 79) sts on waste yarn (right sleeve), remove raglan m, using backward loop method, cast on 0 (2, 5, 9, 11, 14, 16, 16) sts, pm in Color 1 (right side), cast on 0 (2, 5, 9, 11, 14, 16, 16) sts, work in patt to raglan m, remove m, place next 53 (57, 59, 61, 65, 69, 73, 79) sts on waste yarn (left sleeve), cast on 0 (2, 5, 9, 11, 14, 16, 16) sts, pm in Color 1 (left side), cast on 0 (2, 5, 9, 11, 14, 16, 16) sts, remove raglan m, work in patt to beg of rnd (front) – 166 (182, 204, 224, 244, 264, 284, 302) sts; 78 (86, 96, 106, 116, 126, 136, 144) sts for back and 90 (96, 108, 118, 128, 138, 148, 158) sts for front.

All images, text and illustration(s)© Cascade Yarns® 2023

BODY

Work 4 rnds even in patt as established.

Shape for waist:

Dec Rnd: (K5, ssk, work in patt to 7 sts before side m, k2tog, knit to side m) 2 times – 4 sts dec'd.

Cont in patt as est, rep Dec Rnd every 9th rnds 4 times more – 146 (162, 184, 204, 224, 244, 264, 282) sts; 68 (76, 86, 96, 106, 116, 126, 134) sts for back, and 80 (86, 98, 108, 118, 128, 138, 148) sts for front.

WAIST

Work even in patt until piece measures 9" (23 cm) from armholes.

Shape for hips:

Inc Rnd: (K6, M1L, work in patt to 6 sts before side m, M1R, knit to side m) 2 times – 4 sts inc'd.

Cont in patt as established, rep Inc Rnd every 6th row 4 times more – 166 (182, 204, 224, 244, 264, 284, 302) sts.

Knit next rnd and dec 6 (6, 8, 8, 8, 8, 8, 8) sts evenly across front Cable & Bobble patt, and inc 5 (4, 4, 4, 4, 4, 4, 6) sts evenly across back – 165 (180, 200, 220, 240, 260, 280, 300) sts; 83 (90, 100, 110, 120, 130, 140, 150) sts for back and 82 (90, 100, 110, 120, 130, 140, 150) for front.

Work even in K3, P2 Rib for 3" (7.5 cm).

Bind off in patt.

SLEEVES

Transfer 53 (57, 59, 61, 65, 69, 73, 79) sts from waste yarn or stitch holder to dpns. Beg at center of cast-on underarm edge, join new ball of yarn, pick up and k2 (4, 4, 7, 9, 11, 13, 14) sts, work in patt over sleeve sts, pick up and k2 (4, 4, 7, 9, 11, 13, 14) sts along underarm edge. Join to work in rnds, pm for beg of rnd – 57 (65, 67, 75, 83, 91, 99, 107) sts.

Work even in patt for 2" (5 cm).

Knit next rnd and dec 2 (0, 2, 0, 3, 1, 4, 2) st(s) evenly around – 55 (65, 65, 75, 80, 90, 95, 105) sts.

Work even in K3, P2 Rib for 5 rnds.

Bind off in patt.

NECK EDGE

With RS facing and shorter circular needle, beg at right back raglan armhole, join new ball of yarn. Pick up and k38 (38, 40, 40, 42, 42, 44, 48) sts along back neck edge; 13 sts along left sleeve, 19 (21, 20, 22, 22, 22, 22, 23, 24) sts along left front neck edge, 38 (39, 39, 40, 43, 43, 44, 48) sts along center front neck edge, 19 (21, 20, 22, 22, 22, 22, 23, 24) sts along right front neck edge, and 13 sts along right sleeve – 140 (145, 145, 150, 155, 155, 160, 170) sts.

Join to work in the rnd, pm for beg of rnd.

All images, text and illustration(s)© Cascade Yarns® 2023

Work 5 rnds in K3, P2 Rib.

Bind off in patt.

FINISHING

Weave in ends. Block to measurements.

Schematic



Thank you for downloading our free pattern. For more ideas and inspiration, visit us online at http://www.cascadeyarns.com

Find Cascade Yarns on social:

All images, text and illustration(s)© Cascade Yarns® 2023

Chart 1



STITCH KEY:

Knit
k
(RS) Knit
(WS) Purl

Purl
p
(RS) Purl
(WS) Knit

1/1 RC
See *Special Abbreviations*

1/1 LC
See *Special Abbreviations*

2/2 RC
See *Special Abbreviations*

2/2 LC
See *Special Abbreviations*

Knit 2 Together
k2tog
(RS) Knit 2 stitches together

Slip Slip Knit
ssk
(RS) slip, slip, knit slipped sts together

Yarn Over
yo
(RS) Yarn Over

Nupp
nupp
See *Special Abbreviations*

No stitch.

All images, text and illustration(s)© Cascade Yarns® 2023

Chart 2: Center



Chart 2: Left Cable



Chart 2: Right Cable



All images, text and illustration(s)© Cascade Yarns® 2023